

# KYFAB

## MANUFACTURING

*Quality.  
Durable.  
Custom.*

# DUMP BODIES



**(270) 856-5322**  
**[www.kyfab.com](http://www.kyfab.com)**

150 Hickory Road  
Hickory, KY 42051



# KYAB

MANUFACTURING

## LIGHTNING Series

### STANDARD FEATURES:

- 16' LENGTH
- 46" SIDE HEIGHT
- 3/16" HIGH TENSILE FLOOR & GATE W/10GA HIGH TENSILE SIDEWALLS
- STRAIGHT REAR
- HYVA PIN HOIST
- AIR GATE
- EPOXY PRIMER & URETHANE TOPCOAT (BLACK)
- SIDE-MARKER LIGHTS
- 18" CAB SHIELD



AIR CONTROLS - STANDARD ON ALL 3 SERIES

## THUNDER Series

### STANDARD FEATURES:

- 16' LENGTH
- 54" SIDE HEIGHT
- 3/16" AR450 FLOOR, SIDEWALL & GATE
- STRAIGHT REAR
- HYVA TRUNNION HOIST
- AIR GATE
- EPOXY PRIMER & URETHANE TOPCOAT (BLACK)
- SIDE-MARKER LIGHTS
- 18" CAB SHIELD



Optional Coal Door

Optional Driver Step-Ladder

Optional Aluminum Skirt Covers

Electric Tarp

Side-Mount Hydraulic Tank Increases Bed Capacity and Reduces Area for Possible Debris Build-Up

## STORM Series

### STANDARD FEATURES:

- 10' LENGTH
- 36" SIDE HEIGHT
- 10 GAUGE HIGH TENSILE FLOOR, SIDEWALL & GATE
- STRAIGHT REAR
- PIN HOIST
- AIR GATE
- EPOXY PRIMER & URETHANE TOPCOAT (BLACK)
- DRIVER'S STEP LADDER
- SIDE-MARKER LIGHTS
- 18" CAB SHIELD




Optional Wooden Side Boards

Epoxy Primer/ Urethane Paint - (Black)

Side Marker Lights

Side-Mount Hydraulic Tank



Dog House Install Hydro Tank



Custom Color Match

Optional Pintle Hitch Plate with D-Ring

Optional Fold-Down Sides





# State-of-the-Art 3 Step Finishing Process

**WARRANTY:**  
ALL DUMP BODIES COME WITH  
KYFAB's EXCLUSIVE **Manufacturer  
2-Year Warranty\***



\* Visit [www.kyfab.com](http://www.kyfab.com)  
or contact your  
**KYFAB Sales Rep**  
for Details.

**STEP 1**  
Sandblasting  
to Remove All  
Impurities &  
Contaminants

**STEP 2**  
2-Coats of Epoxy  
Primer to Ensure  
Maximum Adhesion,  
Durability &  
Protection

**STEP 3**  
2 Coats of Urethane Paint,  
Which Far Outperforms  
Acrylic, Powder Coating &  
Other Finishing Processes



		SPECS	STORM	LIGHTNING	THUNDER			SPECS	STORM	LIGHTNING	THUNDER	
DIMENSIONS	LENGTH	10' - 20' / (10' standard)	15' - 24' / (16' standard)	10' - 20' / (16' standard)		LADDERS	DRIVER - STEP	STANDARD	OPTIONAL	OPTIONAL		
	WIDTH	89" (inside)	88" (inside)	88" (inside)			HELPER - STEP	OPTIONAL	OPTIONAL	OPTIONAL		
	SIDE HEIGHT	30" - 60" (36" standard)	36" - 60" (46" standard)	48" - 60" (54" standard)			INSIDE STEPS	OPTIONAL	OPTIONAL	OPTIONAL		
FLOOR	CAPACITY	6-18 yd <sup>3</sup> (8.24yd <sup>3</sup> standard)	14-28 yd <sup>3</sup> (16.66yd <sup>3</sup> standard)	13-28 yd <sup>3</sup> (19.55 yd <sup>3</sup> standard)		LIGHTING	SIDE-MARKER LIGHTS	OPTIONAL	OPTIONAL	OPTIONAL		
	1/4" AR450	OPTIONAL	OPTIONAL	OPTIONAL			LED REAR LIGHTS IN BOLSTER	STANDARD	STANDARD	STANDARD		
	1/4" HIGH TENSILE	OPTIONAL	OPTIONAL	OPTIONAL			ADD'L REAR LED LIGHTS	OPTIONAL	OPTIONAL	OPTIONAL		
	3/16" AR450	OPTIONAL	OPTIONAL	STANDARD			STROBES IN BOLSTER	OPTIONAL	OPTIONAL	OPTIONAL		
	3/16" HIGH TENSILE	OPTIONAL	STANDARD	OPTIONAL			18"	STANDARD	STANDARD	STANDARD		
SIDE WALL	10G HIGH TENSILE	STANDARD	OPTIONAL	OPTIONAL		CAB SHIELD	24"	OPTIONAL	OPTIONAL	OPTIONAL		
	1/4" AR450	OPTIONAL	OPTIONAL	OPTIONAL			36"	OPTIONAL	OPTIONAL	OPTIONAL		
	1/4" HIGH TENSILE	OPTIONAL	OPTIONAL	OPTIONAL			HYDRO TANK	SIDE INSTALL (ALUM. HYVA)	OPTIONAL	OPTIONAL	OPTIONAL	
	3/16" AR450	OPTIONAL	OPTIONAL	OPTIONAL				DOG HOUSE INSTALL	OPTIONAL	OPTIONAL	OPTIONAL	
	3/16" HIGH TENSILE	OPTIONAL	OPTIONAL	OPTIONAL				PTO	AUTOMATIC	OPTIONAL	OPTIONAL	OPTIONAL
10G HIGH TENSILE	STANDARD	STANDARD	OPTIONAL		MANUAL	OPTIONAL			OPTIONAL	OPTIONAL		
FOLD-DOWN SIDES	OPTIONAL	N/A	N/A		ALARM	OPTIONAL			OPTIONAL	OPTIONAL		
GATE	1/4" AR450	OPTIONAL	OPTIONAL	OPTIONAL		3RD AXLE CONTROL CENTER	STEERABLE		N/A	OPTIONAL	OPTIONAL	
	1/4" HIGH TENSILE	OPTIONAL	OPTIONAL	OPTIONAL			NON-STEERABLE		N/A	OPTIONAL	OPTIONAL	
	3/16" AR450	OPTIONAL	OPTIONAL	STANDARD			CONTROLS	N/A	OPTIONAL	OPTIONAL		
	3/16" HIGH TENSILE	OPTIONAL	STANDARD	OPTIONAL			WITH TARP	OPTIONAL	OPTIONAL	OPTIONAL		
	10 GA HIGH TENSILE	STANDARD	OPTIONAL	OPTIONAL			WITHOUT TARP	OPTIONAL	OPTIONAL	OPTIONAL		
REAR	STRAIGHT REAR	STANDARD	STANDARD	STANDARD		<b>STORM</b> A Lightweight, Durable Solution to Meet the Everyday Needs of Contractors & Municipalities. Designed for Single & Tandem Axle Trucks.						
	SLANT REAR	N/A	OPTIONAL	OPTIONAL		<b>LIGHTNING</b> Engineered & Customizable for Lightweight or Heavy-Duty Operations, Alike. Ideal for Most ANY Hauling Demands.						
	PIN	STANDARD	OPTIONAL	N/A		<b>THUNDER</b> The Heavy-Duty Choice of Contractors & Municipalities. Crossmemberless with Dent-Resistant Sides - Ideal for Asphalt, Gravel, Sand & Demolition Uses.						
	PIN - HYVA	OPTIONAL	STANDARD	N/A		DEALER INFO:						
	TRUNNION	N/A	N/A	STANDARD								
GATE	DOUBLE-ACT BARN GATE	OPTIONAL	OPTIONAL	OPTIONAL								
	HIGH-LIFT GATE (AIR)	OPTIONAL	OPTIONAL	OPTIONAL								
	AIR GATE	STANDARD	STANDARD	STANDARD								
	GATE LATCHES	OPTIONAL	OPTIONAL	OPTIONAL								
FINISHING	EPOXY PRIMER / URETHANE PAINT (BLACK)	STANDARD	STANDARD	STANDARD								
	CUSTOM COLOR MATCH	OPTIONAL	OPTIONAL	OPTIONAL								
DUMP APPROX	8"	OPTIONAL	OPTIONAL	OPTIONAL								
	10"	OPTIONAL	OPTIONAL	OPTIONAL								
	12"	OPTIONAL	OPTIONAL	OPTIONAL								
SIDE BOARDS	WOODEN	OPTIONAL	OPTIONAL	OPTIONAL								
	STEEL	OPTIONAL	OPTIONAL	OPTIONAL								
	ALUMINUM	OPTIONAL	OPTIONAL	OPTIONAL								

**VARIOUS OPTIONS:**  
Available on all 3 Dump Body Series  
DUMP VALVE • 1/4 FENDERS - STAINLESS • CHROME TURNOUT EXHAUST  
COAL DOOR • BACK-UP ALARM • ALUMINUM SKIRT COVERS  
PINTLE PLATE WITH "D" RING • SCRAPER HOLDERS • PINTLE HITCH  
8" SCHEDULE 80 PUSH-BUMPER • 7-WAY TRAILER PLUG  
ELECTRIC TARP • VIBRATOR